

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	482	"118"/\$.ccls. and ptf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:18
S2	30	(arthur near5 laflamme) (thomas near3 hamelin) (jay near2 wallace)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:19
S3	25	(arthur near5 laflamme).in. (thomas near3 hamelin).in. (jay near2 wallace).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:46
S4	5183	118/715.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:47
S5	61	S4 and ptf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:50
S6	3	S5 and impregnate\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:48
S7	61	S4 and (ptfe tfe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:24
S8	0	S7 and (ptfe near (implant\$5 impreg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:26
S9	224413	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:26
S10	0	S9 and (ptfe near (implant\$5 impreg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:26

S11	141	S9 and ((ptfe teflon) near (implant\$5 impreg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:27
S12	489	S9 and ((ptfe teflon) same (implant\$5 impreg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:39
S13	5	S4 and ((ptfe teflon) same (implant\$5 impreg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:32
S14	13	S9 and tuframcoated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:33
S15	41	S12 and plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:47
S16	5406	118/715.ccls. 156/345.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 15:30
S17	210	S16 and (teflon ptfe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:56
S18	18	S17 and (impreg\$5 implant\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 14:57
S19	124	S16 and (protective near10 (layer barrier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 15:32
S20	16	S19 and (teflon (ptfe tfe))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 15:33

S21	2992	118/718,719.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/27 11:19
S22	53	S21 and (thermal near5 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 16:30
S23	22	(US-20050229849-\$ or US-20040216667-\$ or US-20020073922-\$ or US-20010006070-\$ or US-20050120953-\$ or US-20030041801-\$ or US-20030118746-\$ or US-20010053508-\$).did. or (US-5873177-\$ or US-4949671-\$ or US-6182603-\$ or US-6808592-\$ or US-6793735-\$ or US-6635115-\$ or US-6495233-\$ or US-6951821-\$ or US-6858085-\$ or US-6576063-\$ or US-6402508-\$ or US-5863338-\$ or US-5501739-\$ or US-5199994-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:13
S24	5	S23 and (ptfe teflon)	USPAT	OR	OFF	2005/10/27 13:48
S25	3	2001/0046768	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:11
S26	13	60/457,597 10/705,201 60/454,642 10/705,200 60/454,641 10/704,969 60/454,644 10/705,397	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:11
S27	22	(US-20050229849-\$ or US-20040216667-\$ or US-20020073922-\$ or US-20010006070-\$ or US-20050120953-\$ or US-20030041801-\$ or US-20030118746-\$ or US-20010053508-\$).did. or (US-5873177-\$ or US-4949671-\$ or US-6182603-\$ or US-6808592-\$ or US-6793735-\$ or US-6635115-\$ or US-6495233-\$ or US-6951821-\$ or US-6858085-\$ or US-6576063-\$ or US-6402508-\$ or US-5863338-\$ or US-5501739-\$ or US-5199994-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:56
S28	4	S27 and (heat near10 treatment)	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:13
S29	8	S27 and insulation	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:57

S30	2992	118/718,719.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 10:19
S31	53	S30 and (thermal near5 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 16:30
S32	30	S31 and insulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 16:30
S33	2992	118/718,719.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 10:19
S34	544	S33 and (temperature near5 control\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 10:40
S35	173	S34 and (substrate near10 (support holder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 10:26
S36	25	S35 and (protective near10 (layer barrier film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 10:26
S37	17	S34 and (thermal near10 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 11:48
S38	6805	118/724,725,728.ccls. 156/345.2,345.22,345.27,345.32,345.52,345.53,345.54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 11:53
S39	231	S38 and (thermal near5 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 12:00

S40	24	S38 and ((gas near5 (distribution near5 plate)) same (alumina protective))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 12:02
S41	2992	118/718,719.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 13:54
S42	269	S41 and (((thermal heat) temperature)) near5 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 14:25
S43	224470	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 09:44
S44	5722	S43 and alumina	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 14:28
S45	899	S44 and (((heat thermal) temperature) near10 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 14:29
S46	284	S45 and (temperature near5 control\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 14:31
S47	70	S46 and (process near5 gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/31 14:32
S48	19	("20010016226"   "20010046768"   "20020028555"   "20020063110"   "20020189757"   "4898798"   "5254505"   "5282925"   "5303671"   "5730803"   "5838055"   "5876879"   "6071815"   "6074951"   "6159297"   "6245619"   "6271094"   "6335261"   "6828254").PN. OR ("6951821"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/31 14:35

S49	19	("20010016226"   "20010046768"   "20020028555"   "20020063110"   "20020189757"   "4898798"   "5254505"   "5282925"   "5303671"   "5730803"   "5838055"   "5876879"   "6071815"   "6074951"   "6159297"   "6245619"   "6271094"   "6335261"   "6828254").PN. OR ("6951821"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:35
S50	123284	"219"/\$.ccls. "392"/\$.ccls. "250"/\$.ccls	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:39
S51	4210	250/492.2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:40
S52	224498	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 09:47
S53	1015	S52 and (tokyo near3 (electron near3 limited)).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:23
S54	2993	118/718,719.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 09:56
S55	92	S54 and (tokyo near3 (electron near3 limited)).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 09:56
S56	224498	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 13:45
S57	1015	S56 and (tokyo near3 (electron near3 limited)).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 13:45
S58	93	S57 and (temperature near5 (control\$3 near5 gas))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 13:53

S59	14	S58 and alumina	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/01 13:46
S60	0	156/145.34	USPAT	OR	OFF	2005/11/01 15:29
S61	0	156/145.34.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/01 15:30
S62	212	156/345.34.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/01 15:30
S63	28	S62 and (temperature near5 (control\$3 near5 gas))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/02 11:06
S64	224498	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:43
S65	16029	S64 and blade	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/02 11:06
S66	1790	S65 and (protect\$3 near10 (layer film coating barrier))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/02 11:09
S67	169	S66 and (substrate and transport)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/02 11:16
S68	424	156/345.31,345.32.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/11/02 11:16
S69	224498	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:23
S70	1015	S69 and (tokyo near3 (electron near3 limited)).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:23

S71	0	S70 and (lift\$3 near15 subtrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:24
S72	248	S70 and (lift\$3 near20 (substrate wafer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:25
S73	218	S70 and (lift\$3 near10 (substrate wafer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:32
S74	6	S70 and (lift\$3 near10 blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 11:36
S75	12	S68 and (blade near10 lift)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:35
S76	873	etch and (heat near10 treatment)	EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:37
S77	46	S76 and (protect\$3 near5 (layer barrier film))	EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:38
S78	224498	"118"/\$.ccls. "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:44
S79	6427	S78 and (heat near5 treatment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/02 13:44
S82	0	2004/0182315	USPAT	OR	OFF	2005/11/02 13:49
S83	0	2004/0182315	US-PGPUB; USPAT	OR	OFF	2005/11/02 13:50
S84	0	(2004/0182315).CCLS.	USPAT; USOCR	OR	OFF	2005/11/02 13:50
S85	0	("20040182315").PN.	USPAT; USOCR	OR	OFF	2005/11/02 13:50
S86	1	"20040182315"	US-PGPUB; USPAT	OR	OFF	2005/11/02 13:51
S87	67	S79 and (Yttria "Y.sub.2O.sub.3")	US-PGPUB; USPAT	OR	OFF	2005/11/02 13:52